UNITED STATES COURT OF APPEALS FOR THE NINTH CIRCUIT



JAN 13 2022

MOLLY C. DWYER, CLERK U.S. COURT OF APPEALS

	<u></u>	
In re: CATHODE RAY TUBE (CRT) ANTITRUST LITIGATION,	No. 17-15496	
	D.C. No. 4:07-cv-05944-JST	
INDIRECT PURCHASER PLAINTIFFS,	U.S. District Court for Northern California, San Francisco MANDATE	
Plaintiff - Appellee,	WITH DITTE	
V.		
FRANCIS O. SCARPULLA; LAW OFFICES OF FRANCIS O. SCARPULLA,		
Objectors - Appellants,		
V.		
TOSHIBA CORPORATION; et al.,		
Defendants - Appellees.		
In re: CATHODE RAY TUBE (CRT) ANTITRUST LITIGATION,	No. 17-15597	
	D.C. No. 4:07-cv-05944-JST	
INDIRECT PURCHASER	U.S. District Court for Northern California, San Francisco	

PL	ΑI	[N]	$\Gamma \mathrm{IF}$	FS,

Plaintiff - Appellee,

v.

LAW OFFICE OF BRIAN BARRY,

Objector - Appellant,

v.

TOSHIBA AMERICA, INC.; et al.,

Defendants - Appellees.

In re: CATHODE RAY TUBE (CRT) ANTITRUST LITIGATION,

INDIRECT PURCHASER PLAINTIFFS,

Plaintiff - Appellee,

COOPER & KIRKHAM, P.C.,

Objector - Appellant,

v.

TOSHIBA CORPORATION; et al.,

Defendants - Appellees.

No. 17-15598

D.C. No. 4:07-cv-05944-JST U.S. District Court for Northern California, San Francisco CTHE JUNGMENT OF THIS COURCEMENT & BOUNDER OF THE JUNGMENT & SEPTECT THIS COURCE & SEPTECT THE JUNGMENT & SEPTECT & SEP

date.

This constitutes the formal mandate of this Court issued pursuant to Rule 41(a) of the Federal Rules of Appellate Procedure.

FOR THE COURT:

MOLLY C. DWYER CLERK OF COURT

By: Nixon Antonio Callejas Morales Deputy Clerk Ninth Circuit Rule 27-7